From: Sgraves@TechLawlnc.com Sent: 5/17/2012 11:23:29 AM

To: "Richard Fetzer/R3/USEPA/US@EPA" <Fetzer.Richard@epamail.epa.gov>
CC: "Fred Foreman/ESC/R3/USEPA/US@EPA" <foreman.fred@epa.gov>; "Kelley

Chase/R3/USEPA/US@EPA" < Chase Kelley@epamail.epa.gov>; "Richard Rupert/R3/USEPA/US"

<Rupert.Richard@epamail.epa.gov>

Subject: Re: Dimock Round 1 Supplemental & Round 2 WPs

Rich,

The analytical requests should be submitted this afternoon along with the SAPs.

Thanks, Suddha

On May 17, 2012, at 10:54 AM, "Richard Fetzer"

<Fetzer.Richard@epamail.epa.gov<mailto:Fetzer.Richard@epamail.epa.gov>> wrote:

Suddha, I am assuming you are taking care of this.

Fred, will this cause a delay in our sampling event next week?

Rich

Richard M. Fetzer
Federal On-Scene Coordinator
100 Gypsum Road
Stroudsburg, PA 18360
(215) 341-6307
----- Forwarded by Richard Fetzer/R3/USEPA/US on 05/17/2012 10:53 AM -----

From: Elaine Stiles/ESC/R3/USEPA/US
To: Richard Fetzer/R3/USEPA/US@EPA

Cc: R3 ESC-QA

Date: 05/17/2012 09:43 AM

Subject: Dimock Round 1 Supplemental & Round 2 WPs

Richard,

Please expect about 7 days from today for completion of the review and submission of comments for this document. However, in accordance with protocol, a QA Request form is necessary to ensure the reviewers have all the necessary information. I have attached a copy of the form for your convenience. Please save a blank copy for future requests and return a completed copy for the two Work Plans in an email so that the review process can work as efficiently as possible. If you have any questions, feel free to contact Fred Foreman, Chief, OASQA's Technical Services Branch.

Thank you for your patience and cooperation in submitting this document for review.

Elaine

Elaine Stiles
NAHE, SEE
DAS/QA Coordinator
Technical Services Branch OASQA
EPA Region III
701 Mapes Road, MS 3EA22
Ft. Meade, MD 20755-5350
410-305-2684

DIM0127347 DIM0127347

410-305-3095 (fax) stiles.elaine@epa.gov<mailto:stiles.elaine@epa.gov> <QA Request Form\_Fill&Print 13Oct2009.pdf>

DIM0127347 DIM0127348